



GREEN
and **SMART** LIFE



AMBROGIO
ROBOT
THE ROBOTIC LAWNMOWER

Katalog | Catalogue

2023





AMBROGIO

ROBOT

THE ROBOTIC LAWNMOWER

KAZALO | INDEX

Uvod Intro	2
Razpon Range	4
NEXTline	5
TWENTY ZR	6
TWENTY Deluxe - TWENTY Elite - TWENTY Elite S+	8
TWENTY 25 Deluxe - TWENTY 25 Elite	10
TWENTY 29 Deluxe - TWENTY 29 Elite	12
4.0 Basic	14
4.0 Elite	16
4.36 Elite	18
4.36 Elite RTK	20
Dolgotrajna garancija Long lasting warranty	22
NEXTline 4WD	23
4.0 Basic 4WD	24
4.0 Elite 4WD	26
4.36 Elite 4WD	28
QUAD Elite	30
NEXT line - 4WD tabela podatkov	32
NEXT line - 4WD datasheet	
PROline	38
L250i Elite - L250i Elite S+	39
L400i Deluxe - L400i B	40
PRO line tabela podatkov PRO line datasheet	42
GREENline	44
L60 Elite - L60 Elite S+	45
L15 Deluxe	46
L32 Deluxe	47
GREEN line tabela podatkov GREEN line datasheet	48
TEHNOLOGIJA I TECHNOLOGY	
Aplikacija Ambrogio Remote APP Ambrogio Remote	51
RTK-navigacija RTK Navigation	52
+INFINITY SYSTEM	53
PAMETNO & ZELENO SMART & GREEN	
AMICO	54
ZDEFENCE	55
DODATKI ACCESSORIES	
Dodatki Accessories	56
Zucchetti Centro Sistemi	59

Slike v tem katalogu so vključene zaradi lažje predstavitev.
Izdelki se lahko spremeniijo.

The images of this catalogue are included for illustrative purposes.
Products may be subject to change.





Vaš »zeleni« butler s tehnološkim srcem

Your “green” butler with a technological heart

Kdor izbere Ambrogio, najde prijatelja.

Ambrogio Robot je robotska kosilnica, ki lahko samostojno kosi trato in izvaja postopke polnjenja z največjo varnostjo in učinkovitostjo. Idealen za vse vrste vrtov, od majhnih stanovanjskih vrtov do velikih zelenih površin. Je idealna naprava za tiste, ki želijo popolno košnjo ter ekološko trajnostno, profesionalno in inovativno izkušnjo z uporabo izdelka Made in Italy – Narejeno v Italiji.

Ambrogio je inovativen in pameten, zelo enostaven za uporabo, vendar z zmogljivostjo predvidevanja kot umetna inteligenco. Zahvaljujoč najnaprednejšim tehnologijam je vedno povezan v oblaku in zasnovan je tako, da uživate v svojem vrtu popolnoma sproščeni.

Who chooses Ambrogio, finds a friend

Ambrogio Robot is a robotic lawnmower than can autonomously manage both lawn mowing and recharging operations with maximum safety and efficiency. Ideal for any type of garden, from small residential gardens to large green spaces. It is the ideal device for those who want a perfect mow as well as an eco-sustainable, professional and innovative experience, using a Made in Italy product.

Ambrogio is innovative and smart, very easy to use, but with predictive capabilities of Artificial Intelligence. Always connected in Cloud thanks to the most advanced technologies, is designed to make you live the pleasure of your garden in total relax.



1

Ambrogio deluje avtonomno

Robot Ambrogio kosi vašo trato samodejno in samostojno, brez kakršnega koli posredovanja ali pomoči.

Ambrogio works autonomously

The Ambrogio Robot mows your lawn Samodejnolly and autonomously, without any need for intervention or assistance.

4

Preprosta in prijazna tehnologija

Smart Technologies vam omogoča daljinsko upravljanje in nadzor robotske kosilnice ter uporabo glasovnih ukazov.

Simple and friendly technology

Smart Technologies allow you to manage and control the lawn mower robot remotely and use voice assistants.



2 Prilega se vsakemu vrtu.

Za vsak vrt obstaja model.
Ambrogio zadovolji vse potrebe.

Fits into any garden

*There is a model for each type of garden.
Ambrogio meets every need.*

3 ... In pokosena trava ni več težava.

Zaradi funkcije mulčenja, pokosena trava ostane na tleh in deluje kot naravno gnojilo za trato.

...And grass clippings are no longer a problem

Thanks to the Mulching function, the grass clippings are left on the ground and act as a natural fertiliser for the lawn.

5 Male živali so vedno varne.

Robot Ambrogio je prijatelj vašega hišnega ljubljenčka in majhnih živali, ki živijo na vrtu, in dela na varni razdalji, dokler se rezilo ne ustavi.

Small animals are always safe

Ambrogio Robot is a friend of your pet and the small animals that live in the garden, working at a safe distance until the blade stops.

6 Več robotov lahko deluje usklajeno.

Navigacijski sistem omogoča upravljanje več robotov istočasno in varno na enem samem vrtu.

More robots working in harmony

The navigation system allows you to manage multiple robots, simultaneously and safely, in a single green area.



ŠTEVILNI MODELI, USTVARJENI ZA
VSAKO VRSTO VRTA
NUMEROUS MODELS, CREATED
FOR EACH TYPE OF GARDEN

4.36 elite RTK

(NEXTline)
NEW



m² | sqm

20.000



L700i DELUXE
PROline

4.36 elite

(NEXTline 4WD)
NEW



10.000



L700i B
PROline

L250i ELITE S+

(PROline)



10.000



4.36 elite
(NEXTline)

4.0 elite

(NEXTline 4WD)
NEW



6.000



QUAD elite
(NEXTline 4WD)

TWENTY 29

elite
(NEXTline)



6.000



4.0 elite
(NEXTline)

TWENTY 29

deluxe
(NEXTline)



5.000



L250i ELITE
PROline

4.0 basic

(NEXTline)



3.500



4.0 basic
(NEXTline 4WD)
NEW

TWENTY 25

deluxe
(NEXTline)



3.500



TWENTY 25
elite
(NEXTline)

TWENTY

elite
(NEXTline)



3.500



TWENTY
elite S+
(NEXTline)

L32 DELUXE

(GREENline)



3.200



TWENTY
ZR
(NEXTline)

L15 DELUXE

(GREENline)



2.500



TWENTY
deluxe
(NEXTline)

L60 ELITE

(GREENline)



2.200



L60 ELITE S+
(GREENline)



NEXTline

ZADNJA MEJA
ROBOTSKIH KOSILNIC
*THE LAST FRONTIER
OF ROBOT MOWERS*

TWENTY ZR

NEXTline



VIDEO



m² | sqm
1.000

NI POTREBNA NAMESTITEV
ŽICE ZA DOLOČITEV MEJE
NO INSTALLATION
OF PERIMETER WIRE NEEDED



Umetna inteliganca
Artificial intelligence



Pametna trava
Smart grass



Zaznavanje ovir z radarjem
Detection of obstacles with radar

Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Ne / No

Način polnjenja
Recharge Mode

Samodejno
Automatic

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Povprečni delovni čas [h] (±20%)
Average Working Time [h] (+-20%)

04:00

Litij-ionska baterija (25,9V)
Litio-Ione Battery (25,9V)

1x5.0 Ah

ZCS Connect
Opcionalna/
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Flex gumijasto zadnje kolo
Flex rubber rear
wheel

Upravljaljate do 4 območij
Manage up
to 4 areas

Dodatki | Accessories



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO

Tehnologija, ki revolucionira vrtnarsko robotiko

Twenty ZR predstavlja novo generacijo robotskih kosilnic. Robot je opremljen z umetno inteligenco in radarjem, ki skupaj prepoznavata travo in robove travnate površine. Twenty ZR je sposoben zaznati tudi mirujoče ali premične predmete in ovire.

Twenty ZR je nov, zmogljiv in hiter robot, ki ne potrebuje žice za označitev meje, zahvaljujoč inovativni tehnologiji mu omogoča samostojno premikanje po delovnem območju.

Opremljen je z zelo preprosto in intuitivno tipkovnico, upravlja pa ga lahko tudi preko aplikacije. Na voljo je z rezilom premera 18 cm in je kot nalašč za parcele velikosti približno 1000 kvadratnih metrov.

The technology that revolutionizes gardening robotics

Twenty ZR represents the new generation of robotic lawnmowers. The robot is equipped with artificial intelligence and radar that allow you to recognize the grass and the edges of the grassy carpet. Twenty ZR is also able to perceive the presence of objects and obstacles, stationary or moving.

Twenty ZR is the new powerful and fast robot that does not need a perimeter wire, thanks to its innovative technology allows it to move around the work area autonomously.

It is equipped with a very simple and intuitive keypad and can also be controlled via APP. It comes with an 18-cm diameter blade and is perfect for plots of around 1,000 square meters.



TWENTY

NEXTline



VIDEO

m² | sqm

1.300



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

**Samodejno
Automatic**

Pendenze Ammissibile (%)
Max. Permissible Slope (%)

45%

Modeli Models	deluxe	elite	elite s+
Delovno območje (m ²) <i>Work area (sqm)</i>	700	1.000	1.300
Delovni čas <i>Work time</i>	02:00 h	02:00 h	04:00 h
Baterija <i>Battery</i>	1x5,0 Ah	1x5,0 Ah	1x5,0 Ah

ZCS Connect
(Elite e Elite S+)
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Flex gumijasto zadnje kolo
Flex rubber rear wheel

Upravljaljajte do 8 območij
Manage up to 8 areas

Dodatki | Accessories



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO

Otrok nove generacije

Najnovejši mini robot s prefinjenimi funkcijami in spoštovanjem okolja. Baterija in visoko zmogljiv motor, ter 18 cm rezilo, zagotavljajo največjo učinkovitost in hitrost pri košnji trave ob minimalni teži in odtisu.

Popoln robot za 4 ure neprekinjene košnje s popolno učinkovitostjo (model Twenty Elite S+). Zahvaljujoč močni in kakovostni bateriji je zmogljivost zagotovljena v celotnem delovnem ciklu. Košnja je natančna tako na ravnih in pravilnih površinah, kot tudi na bolj grobih in neravnih zelenicah. Upravlja lahko do 8 območij in je opremljen s senzorjem za dež. Pri modelih Elite in Elite S+ je mogoče nadzorovati in upravljati robota tudi na daljavo, zahvaljujoč standardnemu sistemu ZCS Connect.

The baby of the new generation

The latest mini robot designed to offer sophisticated functions and respect for the environment. The battery and the high performance motor and the 18 cm blade guarantee maximum efficiency and speed in the cutting of the grass, against a minimum weight and footprint.

The perfect product to get 4 hours of continuous cutting in total efficiency (model Twenty Elite S+). Thanks to the powerful battery and its quality in the single performance of a whole working cycle. The cut is precise both on flat and regular surfaces, and on more rough and uneven lawns. It can manage up to 8 zones and is equipped with a rain sensor. In the Elite and Elite S+ models, it is possible to monitor and control the robot remotely, thanks to the ZCS Connect as standard.



TWENTY 25

NEXTline



VIDEO

m² | sqm

1.800

Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

Samodejno
Automatic

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Modeli Models	deluxe	elite
Delovno območje Work area (m ² /sqm)	1.400	1.800
Delovni čas Work time	03:00 h	03:00 h
Baterija Battery	1x5,0 Ah	1x5,0 Ah

 **ZCS Connect**
(Elite)
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

 **Flex gumijasto zadnje kolo**
Flex rubber rear wheel

 **Upravljaljajo do 8 območij**
Manage up to 8 areas

Dodatki | Accessories



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO



Kompakten in zanesljiv, za srednje velike vrtove.


Twenty 25 združuje kompaktnost z odličnim funkcionalnim ravnavesjem motorjev brez krtač. Rezilo s premerom 25 cm zagotavlja izjemno natančno košnjo za srednje velike zelenice do 1.800 m².

Zmogljiv in praktičen, Twenty 25 Elite je odličen delavec za vašo zelenico. Njegova 5,0 Ah baterija zagotavlja 3 ure neprekinjenega delovanja s samodejnimi polnjenji. Preko aplikacije je mogoče robot spremljati in upravljati tudi na daljavo (model Elite).

Compact and reliable, for medium gardens

Twenty 25 combines compactness with the great functional balance of brushless motors. Its 25-cm diameter blade ensures great mowing precision for medium-sized lawns, up to 1,800 sqm.

Powerful and practical, Twenty 25 Elite is an excellent butler for your lawn. Its 5.0Ah battery ensures 3 hours of continuous operation with automatic recharging. Through the dedicated App it is also possible to monitor and manage the robot remotely (Elite model).



TWENTY 29

NEXTline



VIDEO

m² | sqm

3.500



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

**Samodejno
Automatic**

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Modeli Models	deluxe	elite
Delovno območje Work area (m ² /sqm)	2.500	3.500
Delovni čas Work time	03:00 h	06:00 h
Baterija Battery	1x5,0 Ah	2x5,0 Ah

ZCS Connect
(Elite)
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Flex gumijasto zadnje kolo
Flex rubber rear wheel

Upravljaljajo do 8 območij
Manage up to 8 areas

Dodatki | Accessories



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO



Zmogljiv in kompakten, za srednje do velike zelenice.

Odpornost in natančnost. Twenty 29 je robotska kosilnica, ki se lahko spopade z vsako oviro na svoji poti. Ima eleganten profil in gumirana zadnja kolesa.

Opremljen je z dvema zmogljivima baterijama in je sposoben kositi zelenice do 3.500 kvadratnih metrov z impresivnimi 6 urami neprekinjenega delovanja. Za to ceno je težko najti kaj boljšega! Intuitiven prikaz in upravljanje košnje s 4-krakim zvezdastim rezilom premera 29 cm.

Powerful and compact, for medium to large gardens

Resistance and precision. Twenty 29 is the robotic lawnmower that can tackle any obstacle in its path. It has a sleek profile and rubber rear wheels.

Equipped with two powerful batteries, it is capable of mowing lawns up to 3,500 sqm with an impressive 6 hours of continuous operation. Its hard to find anything better at this price! Intuitive display and cutting management with 4-point star blade with a diameter of 29 cm.



4.0 basic

NEXT line



VIDEO

m² | sqm

2.200



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

**Samodejno
Automatic**

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Na voljo kompleti baterij | Battery Kits Available

Power unit	LIGHT	MEDIUM	PREMIUM
Delovno območje (m ²) Work area (sqm)	1.000* predlagano / suggested 800	1.400* predlagano / suggested 1.200	2.200* predlagano / suggested 1.800
Delovni čas Work time	01:30h	03:00h	04:00h
Baterija Battery	1x 3,45Ah	1x6,9Ah	1x10,35Ah

* Platforma je zasnovana za označene delovne površine, v idealnih pogojih košnje: preprosta, raven zelenica pravokotne oblike, brez ovir ali dodatnih površin in z zmerno hitrostjo rasti trave.

The platform is designed for indicated work surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.

Aplikacija Bluetooth
APP Bluetooth

Povezan
Jointed

Gumiasta kolesa
Rubber wheels

Dodatki | Accessories



Kolesa s konicami
Spike Wheel



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO



ZDEFENCE

Zgibni robot, ki se preoblikuje.

Ambrogio 4.0 Basic lahko deluje učinkovito in vedno z največjo natančnostjo na različno velikih območjih, zahvaljujoč možnosti namestitev treh različnih pogonskih enot, ki preoblikujejo robota. Inovativna zasnova, gumirana kolesa in močan motor ga naredijo avtonomnega v vsaki situaciji, z možnostjo daljinskega upravljanja preko aplikacije. Med posebnostmi robota Ambrogio 4.0 Basic je zagotovo najbolj cenjena njegova sposobnost dela na zelo grobih površinah brez zmanjšane učinkovitosti košnje, zahvaljujoč pribigni osi v zadnjem delu.

The articulated robot that transforms itself

Ambrogio 4.0 Basic is able to work effectively and always with maximum precision and accuracy on different size areas, thanks to the possibility of installing three different Power Units, that transform the robot. The innovative design, the rubberized wheels and the powerful motor make it autonomous in every situation, with the possibility of remote management via APP. Among the peculiarities of Ambrogio 4.0 Basic, the most appreciable is certainly its ability to work on surfaces with a high degree of irregularity without losing the effectiveness of the cut, thanks to the presence of the articulated axis in the rear area.



4.0 elite

NEXTline



VIDEO



m² | sqm

3.500



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

**Samodejno
Automatic**

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Na voljo kompleti baterij | Battery Kits Available

Power unit	MEDIUM	PREMIUM	EXTRA PREMIUM
Delovno območje (m ²) Work area (sqm)	2.200* predlagano / suggested 1.800	3.500* predlagano / suggested 3.200	3.500* predlagano / suggested 3.200
Delovni čas Work time	02:45h	03:45h	03:45h
Baterija Battery	1x6,9Ah	1x10,35Ah	1x10,35Ah

* Platforma je zasnovana za označene delovne površine, v idealnih pogojih košnje: preprosta, raven zelenica pravokotne oblike, brez ovir ali dodatnih površin in z zmerno hitrostjo rasti trave.

The platform is designed for indicated work surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.

ZCS Connect
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Povezan Jointed

Gumijasta kolesa
Rubber wheels

Dodatki | Accessories



Kolesa s konicami
Spike Wheel



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO



ZDEFENCE

Prilagodljivost in tehnologija najvišje ravni.

Ambrogio 4.0 Elite, elitna enota serije 4.0, je bila zasnovana za vse prednosti modularnosti in prilagodljivosti uporabe. Ambrogio 4.0 Elite, lahko namesti tri različne napajalne enote in deluje na velikih in nepravilnih travnatih površinah. Za lažjo in hitrejšo uporabo te robotske kosilnice sta na voljo zaslonski dotik in motoriziran sistem prilaganja rezil. Sistem ZCS Connect kot standard vam omogoča nadzor in upravljanje robota na daljavo, preko aplikacije Ambrogio Remote.

Flexibility and technology at the highest level

Ambrogio 4.0 Elite, an elite 4.0 series unit has been designed to offer all the advantages of modularity and flexibility of use. Ambrogio 4.0 Elite, can mount three different Power Units and work on large and irregular grassy surfaces. The touch display and the motorized blade adjustment system make the use of this innovative robotic mower even easier and faster. The ZCS Connect system as standard allows you to monitor and manage the robot remotely, via the Ambrogio Remote APP.



4.36 elite

NEXTline



VIDEO



m² | sqm

6.000



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

**Samodejno
Automatic**

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Na voljo kompleti baterij | Battery Kits Available

Power unit	ULTRA PREMIUM
Delovno območje Work area (m ² /sqm)	6.000
Delovni čas Work time	04:00h
Baterija Battery	1x10,35 Ah

ZCS Connect
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Povezan Jointed

**Gumijasta kolesa
Rubber wheels**

Dodatki | Accessories



Kolesa s konicami
Spike Wheel



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO



Močan in artikuliran, za velike in zahlevne prostore.

Robotska kosilnica 4.36 Elite je opremljena s 36 cm rezilom, zelo zmogljivo baterijo in lahko deluje na precej velikih površinah. Z namestitvijo kompleta Ultra Premium Power Unit lahko robot celo obdeluje zelene površine do 6.000 kvadratnih metrov in deluje neprekiniteno več kot 4 ure.

Ambrogio 4.36 ima zaslon na dotik in njegova povezljivost omogoča upravljanje na daljavo, tudi prek glasovnih ukazov. Prav tako ga je mogoče združiti (+InfinitySystem) z dodatnimi roboti Ambrogio za delo na še večjih površinah.

Powerful and articulated, for large and difficult spaces

The robot 4.36 Elite is equipped with a 36 cm blade, a very powerful battery, and is able to operate on rather large surfaces. By mounting the Ultra Premium Power Unit kit, the robot can even manage green areas of 6000 square meters working continuously for over 4 hours.

Ambrogio 4.36 has touch display and its connectivity makes it remotely manageable, even through voice assistants. It can also be teamed up (+InfinitySystem) with additional robots Ambrogioawn mower robots, to work on even wider areas.



4.36 elite RTK

NEXTline



VIDEO



CLOUD RTK

NEW

m² | sqm
10.000



Brez namestitve žice za določitev meje
No perimeter wire installation



Napredna RTK-navigacija
Advanced RTK navigation



Umetna inteligencija
Artificial intelligence

Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Ne / No

Način polnjenja
Recharge Mode

Samodejno
Automatic

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Na voljo kompleti baterij | Battery Kits Available

Power unit	ULTRA PREMIUM
Delovno območje Work area (m ² /sqm)	10.000
Delovni čas Work time	04:00h
Baterija Battery	1x10,35 Ah

ZCS Connect
 Geographic localisation
 Geofence Alarm
 Go Away
 Go Home
 Smart Assistant

Povezan Jointed

Gumijasta kolesa
Rubber wheels

Dodatki | Accessories




Kolesa s konicami
Spike Wheel



Garažni pokrov
 sijoče črne barve
Garage cover glossy black



AMICO



RTK ANTENA*
RTK ANTENNA

*Za več informacij se obrnite na svojega pooblaščenega prodajalca.

For more information, contact your authorised dealer.

Modela 4.0 in 4.36 Ambrogio

NAPAJALNA ENOTA IN GARANCIJA DO 6 LET!

Ambrogio 4.0 in 4.36 sta opremljena z novo tehnološko platformo, futuristično obliko in najsodobnejšo strukturo za priklop, ki jima omogoča boljše obvladovanje neravnega terena in prilaganje zelenicam različnih oblik in velikosti.

Vse napajalne enote so opremljene z litij-ionskimi pametnimi baterijami, opremljenimi s tehnologijo Bluetooth za izmenjavo informacij z matično ploščo, za optimizacijo polnjenja in porabe energije ter za spremljanje stanja same baterije.

Izbira pogonskih enot prinaša nadgradnjo samega stroja: moč baterije in hitrost polnjenja omogočata upravljanje zelenic različnih velikosti na učinkovitejši način z daljšim delovnim časom in krajskim časom polnjenja, če sta povezana z modeloma Ambrogio 4.0 in 4.36.

The 4.0 and 4.36 Ambrogio models

POWER UNIT AND WARRANTY UP TO 6 YEARS!

Ambrogio 4.0 and 4.36 are equipped with a new technological platform, the futuristic design and state-of-the-art jointed structure, which allows them to manage uneven terrain in a better way and to adapt to gardens of different shapes and sizes.

All the Power Units come with lithium-ion smart batteries equipped with Bluetooth technology to exchange information with the motherboard, to optimise charging and power consumption, and to monitor the state of health of the battery itself.

The choice of the Power Units brings an upgrade to the machine itself: the battery power and charging speed allow to manage gardens of different sizes in a more efficient way with longer working times and shorter charging times if associated with the Ambrogio 4.0 and 4.36 models.

	Power unit LIGHT	Power unit MEDIUM		Power unit PREMIUM		Power unit EXTRA PREMIUM	Power unit ULTRA PREMIUM
Modeli / Models	4.0 Basic	4.0 Basic	4.0 Elite	4.0 Basic	4.0 Elite	4.0 Elite	4.36 Elite
Način polnjenja / Recharge mode	Kontakt / Contact	Kontakt / Contact	Kontakt / Contact	Kontakt / Contact	Induktivno / Inductive	Kontakt / Contact	Kontakt / Contact
Baterija / Battery	3,45 Ah	6,9 Ah		10,35 Ah		10,35 Ah	10,35 Ah
Polnilnik baterij / Battery Charger	2.0 A	5.0 A		8.0 A		8.0 A	10.0 A
Delovni čas / Working Time	1:30 h	3:00 h	2:45 h	4:00 h	3:45 h	3:45 h	4:00 h
Čas polnjenja / Recharging Time	2:00 h	1:30 h		1:30 h		1:30 h	1:30 h

Garancija do 6 let



Warranty up to 6 years

2 leti garancije

zajema pogoje in omejitve, navedene v garancijski knjižici.



4 letno podaljšanje

na garancijo, ki zajema plastične komponente, ki niso izpostavljeni obrabi in imajo proizvodne napake.

na garancijo, ki zajema elektronske komponente, razen omejitev, navedenih v garancijski knjižici.

na garancijo, ki zajema rezalne in pogonske motorje, omejeno na 5.000 ur delovanja.

2 year warranty

covering the conditions and limitations stated in warranty booklet



4 year extension

to the warranty covering plastic components that are not subject to wear and tear that have manufacturing defects.

to the warranty covering electronic components excluding the limitations specified in the warranty booklet.

to the warranty covering cutting and propulsion motors limited up to 5,000 hours of operation.

Za potrditev podaljšanja garancije je obvezno izvajanje rednega zimskega servisa, registracija servisa na spletni strani proizvajalca, zahteva za izdajo in pravilna vložitev ustreznih ter pravilno izpolnjenih potrdil.


To validate the warranty extension, it is mandatory to carry out regular winter servicing, to register such servicing on the manufacturer's website, to request the issuing and the appropriate filing of the relative, duly-completed certifications.

NEW

NEXTline 4WD

*TERENSKA FLOTA, ROJENA ZA
NAJZAHTEVNEJŠE ZELENICE*

*THE OFF ROAD FLEET BORN FOR
THE MOST CHALLENGING LAWNS*



NEXT

4.0 basic

NEXTline 4WD



VIDEO

4WD

NEWm² | sqm**2.200**
Nakloni do 60%
Slopes up to 60%

4 pogonska kolesa
4 driving wheels

Lastnosti | Features

Žica za določitev meje
Perimeter Wire
Da / Yes
Način polnjenja
Recharge Mode
Samodejno
Automatic
Največji dovoljeni naklon (%)
Max. Permissible Slope (%)
60%

Na voljo kompleti baterij | Battery Kits Available

Power unit	MEDIUM	PREMIUM
Delovno območje (m ²) <i>Work area (sqm)</i>	1.400* predlagano / suggested 1.200	2.200* predlagano / suggested 1.800
Delovni čas <i>Work time</i>	03:00h	04:00h
Baterija <i>Battery</i>	1x6,9 Ah	1x10,35Ah

* Platforma je zasnovana za označene delovne površine, v idealnih pogojih košnje: preprosta, ravna zelenica pravokotne oblike, brez ovir ali dodatnih površin in z zmerno hitrostjo rasti trave.
The platform is designed for indicated work surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.
Aplikacija Bluetooth
APP Bluetooth
Povezan
Jointed
Gumijasta kolesa
Rubber wheels

Dodatki | Accessories


Kolesa s konicami
Spike Wheel

Garažni pokrov
garage cover glossy black

AMICO


Maksimalna prilagodljivost tudi na najbolj ekstremnih klančinah

Ambrogio 4.0 Basic v različici 4WD optimalno obvlada neravne zelenice z resnimi vzponi do 60 %. Zasnovan za delo v zapletenih situacijah, 4.0 Basic enostavno doseže kateri koli del vrta, vključno z robovi, ter zagotovi čisto in enakomerno košnjo trave.

Maximum flexibility even on the most extreme slopes

Ambrogio 4.0 Basic, in its 4WD version, optimally manages uneven lawns, with important climbs, up to 60%. Designed to work in complex situations, 4.0 Basic is able to easily reach any area of the garden, including edges, with the certainty of a clean and uniform grass cut.



4.0 elite

NEXTline 4WD



VIDEO

4WD

NEW**m² | sqm****3.500**

Nakloni do 60%
Slopes up to 60%



4 pogonska kolesa
4 driving wheels

Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

Samodejno
Automatic

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

60%

Na voljo kompleti baterij | Battery Kits Available

Power unit	MEDIUM	PREMIUM	EXTRA PREMIUM
Delovno območje (m ²) <i>Work area (sqm)</i>	2.200* predlagano / suggested 1.800	3.500* predlagano / suggested 3.200	3.500* predlagano / suggested 3.200
Delovni čas <i>Work time</i>	02:45h	03:45h	03:45h
Baterija <i>Battery</i>	1x6,9 Ah	1x10,35 Ah	1x10,35 Ah

* platforma je zasnovana za označene delovne površine, v idealnih pogojih košnje: preprosta, ravna zelenica pravokotne oblike, brez ovir ali dodatnih površin in z zmerno hitrostjo rasti trave.

The platform is designed for indicated work surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.

ZCS Connect
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Povezan
Jointed

Gumijasta kolesa
Rubber wheels

Dodatki | Accessories



Kolesa s konicami
Spike Wheel



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO



4.36 elite

NEXTline 4WD



VIDEO

4WD**NEW****m² | sqm****6.000****Nakloni do 65%**
Slopes up to 65%**4 pogonska kolesa**
*4 driving wheels***Lastnosti | Features****Žica za določitev meje**
*Perimeter Wire***Da / Yes****Način polnjenja**
*Recharge Mode***Samodejno**
*Automatic***Največji dovoljeni naklon (%)**
*Max. Permissible Slope (%)***65%****Na voljo kompleti baterij | Battery Kits Available****Power unit****ULTRA PREMIUM**Delovno območje (m²)
Work area (sqm)

6.000

Delovni čas
Work time

04:00h

Baterija
Battery

1x10,35 Ah

ZCS Connect
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Povezan Jointed

Gumijasta kolesa
Rubber wheels

Dodatki | AccessoriesKolesa s konicami
Spike WheelGaražni pokrov
sijoče črne barve
Garage cover glossy black

AMICO

**Moč in okretnost za široko in nedostopno zelenico.**

Evolucija 4WD modela 4.36 je bila ustvarjena za košnjo trave na velikih zelenih površinah, ki jih je težko upravljati. Štirikolesni pogon v kombinaciji z zmogljivimi baterijami zagotavlja optimalen oprijem na vseh vrstah terena, neravnih in z ekstremnimi nakloni, do 65%.

4.36 Elite 4WD lahko deluje tudi v skupinah (+infinitysystem) v kombinaciji z drugimi roboti iz serije Ambrogio za upravljanje območij, ki se sčasoma povečujejo. Zahvaljujoč standardnemu modulu ZCS Connect, je vedno mogoče tudi oddaljeno upravljanje.

Strength and agility for wide and inaccessible lawn

The 4WD evolution of the 4.36 model was created to meet the need to cut grass on large green areas that are difficult to manage. The 4 wheels drive, combined with the powerful batteries, guarantee optimal grip on any type of terrain, uneven and with extreme slopes, up to 65%.

4.36 Elite 4WD can also work in teams (+infinitysystem) combined with other robots from the Ambrogio range, to manage areas that increase over time. Remote management is always possible, thanks to the ZCS Connect module as standard.



QUAD elite

NEXTline 4WD



VIDEO



m² / sqm

3.500



Nakloni do 75%
Slopes up to 75%



Zaznavanje ovir z radarjem
Detection of obstacles with radar



4 pogonska in krmilna kolesa
4 driving and steering wheels

Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

Samodejno
Automatic

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

75%

Povprečni delovni čas [h] (±20%)
Average Working Time [h] (+-20%)

02:30

Litij-ionska baterija (25,9V)
Litio-Ione Battery (25,9V)

2x5.0 Ah

ZCS Connect
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Motorizacija rezila
Blade motorisation

Napredni rezalni sistemi
Advanced cutting systems

Dodatki | Accessories



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO



Vrtovi z nemogočimi strminami? Brez težav!

Ambrogio Quad Elite je namenjen tistim, ki imajo vrtove z resnično izjemnimi nakloni, tudi do 75 %.

Zahvaljujoč visoko zmogljivi bateriji, linearni in kompaktni zasnovi ter štirikolesnemu pogonu z elektronskim krmiljenjem, lahko robot varno dela na strmih pobočjih in poševnih travnatih robovih.

Quad Elite je opremljen tudi s posebnim radarskim senzorjem, ki robotu omogoča prepoznavanje premikajočih se ovir. Da bi zagotovili varno in tiho delovanje robota, je priporočljivo razmejiti vse fiksne ovire.

Gardens with impossible slopes? No problem

Ambrogio Quad Elite is dedicated to those who own gardens with extremely remarkable slopes, even up to 75%.

Thanks to the high-performance battery, the linear and compact design and the four-wheel drive with electronic steering, the robot is able to work safely on steep slopes and sloping grassy edges.

Quad Elite is also equipped with a special radar sensor that allows the robot to identify moving obstacles. To ensure safe and silent operation of the robot, it is advisable to delimit all fixed obstacles.



NEXTline



OPISI MODELOV	MODELS DESCRIPTION	TWENTY ZR	TWENTY Deluxe
MOČ	POWER		
Največja površina košnje [m ²] (-20%)*	Maximum cutting surface [sqm] (-20%)*	1.000	700
Vrsta motorja	Motor type	Brez krtačk / Brushless	Brez krtačk / Brushless
Največji dovoljeni naklon (%)	Max. permissible Slope (%)	45%	45%
Največji naklon (%)	Max. Slope (%)	35%	35%
Naklon na zunanjji strani žice za omejitev območja (%)	Slope on the outer edge or perimeter wire (%)	20%	20%
SISTEM KOŠNJE	CUTTING SYSTEM		
Vrsta rezila	Blade Type	4 - krako zvezdasto rezilo /4 Point Star Blade	4 - krako zvezdasto rezilo /4 Point Star Blade
Širina košnje [cm]	Cutting Width [cm]	18	18
Višina košnje (min-maks) [mm]	Cutting Height (min-max) [mm]	25-60	25-60
Nastavitev višine košnje	Cutting Height Adjustment	Ročno/Manual	Ročno/Manual
Način košnje "Spiral"	Spiral Cutting System	Da/Yes	Da/Yes
Način košnje "SDM"	"SDM" Cutting System	Ne/No	Ne/No
Način košnje "+ Infinity"	"+ Infinity" Cutting System	Ne/No	Ne/No
Samoniveliranje	Self-Levelling	-	-
Eko način	Eco Mode	Da/Yes	Da/Yes
Senzor za dež	Rain Sensor	Da/Yes	Da/Yes
Virtualna območja	Virtual Areas	4	8
Število območij za košnjo, vključno z glavnim	Manageable Areas Including the Main	4	4
NAVIGACIJA	NAVIGATION		
ZCS povezovalni modul (GPS, GSM)	ZCS Connect Module (GPS, GSM)	Opcijsko/Optional	Opcijsko/Optional
KONTROLIRANJE NAPRAVE	CONTROL DEVICES		
Uporabniški vmesnik	User Interface	Tipkovnica & LED/Keypad & LED	Tipkovnica & LED/Keypad & LED
Kontrola za aplikacijo	APP Control	Bluetooth	Bluetooth
Sprejemnik Bluetooth	Bluetooth Receiver	Da/Yes	Da/Yes
Pametni asistent	Smart Assistant	Vključeno v/Included in ZCS Connect	Vključeno v/Included in ZCS Connect
AMICO	AMICO	Opcijsko/Optional	Opcijsko/Optional
VARHOST	SAFETY		
Varnostni pin	Safety PIN	PIN Code via APP	PIN Code via APP
STANDARDNA OPREMA ZA NAMESTITEV	STANDARD EQUIPMENT FOR INSTALLATION		
Dolžina žice za omejitev območja [m]	Perimeter Wire Length [mt]	50	0
Pritrdilni žebli	Fixing nails	40	20
Polnilna postaja	Charging Station	Da/Yes	Da/Yes
Pokrov polnilne postaje	Recharging base cover	Opcijsko/Optional	Opcijsko/Optional
LASTNOSTI	FEATURES		
Velikost robota (D x Š x V)	Robot Size (lxwxh)	453x296x220	420X290X220 mm
Profil kolesa	Wheel Profile	Guma/Rubber	Guma/Rubber
Zvočna moč [dB(A)]	Sound power [dB(A)]	59	59
Nivo zaščite	Level of protection	IPx5	IPx5

Največja površina košnje [m ²] (-20%)*	Maximum suggested cutting surface [sqm] (-20%)*	1.000	700
Litij-ion akumulator (25,9 V)	Lithium-Ion Battery (25,9V)	5,0Ah- 130Wh	5Ah-64Wh
Kapaciteta baterije	Quantity of batteries	1x5,0Ah	1x5,0Ah
Povprečni delovni čas [h] (+- 20 %)	Average Working Time [h] (+- 20%)	04:00	02:00
Način polnjenja	Recharge Mode	Kontakt /Contact	Kontakt /Contact
Pohnilnik za baterijo	Battery Chargers	2,3A-68W	2,3A-68W
Teža z baterijami [kg]	Weight with Batteries Incl. [Kg]	7,5	7,1

*m² se nanaša na največjo zmogljivost baterij. Odvisno od stanja trave, šote in zahtevnosti območja košnje.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



TWENTY Elite	TWENTY Elite S+	TWENTY 25 Deluxe	TWENTY 25 Elite	TWENTY 29 Deluxe	TWENTY 29 Elite
1.000	1.300	1.400	1.800	2.500	3.500
Brez krtačk / Brushless	Brez krtačk / Brushless	Brez krtačk / Brushless	Brez krtačk / Brushless	Brez krtačk / Brushless	Brez krtačk / Brushless
45%	45%	45%	45%	45%	45%
35%	35%	35%	35%	35%	35%
20%	20%	20%	20%	20%	20%
4 - krako zvezdasto rezilo / 4 Point Star Blade	4 - krako zvezdasto rezilo / 4 Point Star Blade	4 - krako zvezdasto rezilo / 4 Point Star Blade	4 - krako zvezdasto rezilo / 4 Point Star Blade	4 - krako zvezdasto rezilo / 4 Point Star Blade	4 - krako zvezdasto rezilo / 4 Point Star Blade
18	18	25	25	29	29
25-60	25-60	25-60	25-60	25-60	25-60
Ročno/Manual	Ročno/Manual	Ročno/Manual	Ročno/Manual	Avtomatsko/Automatic	Avtomatsko/Automatic
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Ne/No	Da/Yes	Ne/No	Da/Yes
Ne/No	Ne/No	Ne/No	Ne/No	Ne/No	Da/Yes
-	-	-	-	-	-
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
8	8	8	8	8	8
4	4	4	8	8	8
Da/Yes	Da/Yes	Opcijsko/Optional	Da/Yes	Opcijsko/Optional	Da/Yes
Tipkovnica & LED/Keypad & LED	Tipkovnica & LED/Keypad & LED	Tipkovnica & LED/Keypad & LED	Tipkovnica & LED/Keypad & LED	Tipkovnica & LED/Keypad & LED	Tipkovnica & LED/Keypad & LED
Bluetooth-GSM	Bluetooth - GSM	Bluetooth	Bluetooth - GSM	Bluetooth	Bluetooth - GSM
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Vključeno v/Included in ZCS Connect	Da/Yes	Vključeno v/Included in ZCS Connect	Da/Yes
Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional
Pin koda preko aplikacije & Geofence PIN Code via App & Geofence	Pin koda preko aplikacije & Geofence PIN Code via App & Geofence	PIN Code via APP	Pin koda preko aplikacije & Geofence PIN Code via App & Geofence	PIN Code via APP	Pin koda preko aplikacije & Geofence PIN Code via App & Geofence
0	0	0	0	0	0
20	20	20	20	20	20
Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes	Da/Yes
Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional
420X290X220 mm	420x290x220 mm	534x263x386	534x263x386	534x263x386	534x263x386
Guma/Rubber	Guma/Rubber	Guma/Rubber	Guma/Rubber	Guma/Rubber	Guma/Rubber
59	59	60	60	63	63
IPx5	IPx5	IPx5	IPx5	IPx5	IPx5
1.000	1.300	1.400	1.800	2.500	3.500
5Ah-64Wh	5Ah - 130Wh	5,0Ah- 130Wh	5,0Ah- 130Wh	5,0Ah- 130Wh	10Ah - 260Wh
1x5,0Ah	1x5,0 Ah	1x5,0Ah	1x5,0Ah	1x5,0Ah	2x5,0Ah
02:00	04:00	03:00	03:00	03:00	06:00
Kontakt /Contact	Kontakt /Contact	Kontakt /Contact	Kontakt /Contact	Kontakt /Contact	Kontakt /Contact
2,3A-68W	5,0A - 150W	2,3A - 68W	2,3A - 68W	5A -150W	8A- 235W
7,2	7,5	10	10	12	12



OPISI MODELOV		MODELS DESCRIPTION	4.0 Basic	
MOČ		POWER		
Največja površina košnje [m ²] (-20%)*		Maximum cutting surface [sqm] (-20%)*	Pogonska enota za do 2.200*/Driving unit set up to 2.200*	
Vrsta motorja		Motor type	Brez krtačk / Brushless	
Največji dovoljeni naklon (%)		Max. permissible Slope (%)	45%	
Največji naklon (%)		Max. Slope (%)	35%	
Naklon na zunanj strani žice za omejitev območja (%)		Slope on the outer edge or perimeter wire (%)	20%	
SISTEM KOŠNJE		CUTTING SYSTEM		
Vrsta rezila		Blade Type	4 - krako zvezdasto rezilo /4 Point Star Blade	
Širina košnje [cm]		Cutting Width [cm]	25	
Višina košnje (min-maks) [mm]		Cutting Height (min-max) [mm]	20-65	
Nastavitev višine košnje		Cutting Height Adjustment	Ročno/Manual	
Način košnje "Spiral"		Spiral Cutting System	Da/Yes	
Način košnje "SDM"		"SDM" Cutting System	Ne/No	
Način košnje "+ Infinity"		"+ Infinity" Cutting System	Ne/No	
GPS navigacija - RTK		Navigation GPS - RTK	-	
Samoniveliranje		Self-Levelling	Da/Yes	
Eko način		Eco Mode	Da/Yes	
Senzor za dež		Rain Sensor	Da/Yes	
Virtualna območja		Virtual Areas	4	
Število območij za košnjo, vključno z glavnim		Manageable Areas Including the Main	4	
NAVIGACIJA		NAVIGATION		
ZCS povezovalni modul (GPS, GSM)		ZCS Connect Module (GPS, GSM)	Opcijsko/Optional	
KONTROLIRANJE NAPRAVE		CONTROL DEVICES		
Uporabniški vmesnik		User Interface	Tipkovnica & LED/Keypad & LED	
Kontrola za aplikacijo		APP Control	Bluetooth	
Sprejemnik Bluetooth		Bluetooth Receiver	Da/Yes	
Pametni asistent		Smart Assistant	Vključeno v/Icluded in ZCS Connect	
AMICO		AMICO	Opcijsko/Optional	
ZDefence		ZDefence	Opcijsko/Optional	
VAROST		SAFETY		
Varnostni pin		Safety PIN	Pin koda preko aplikacije/PIN Code via APP	
STANDARDNA OPREMA ZA NAMESTITEV		STANDARD EQUIPMENT FOR INSTALLATION		
Dolžina žice za omejitev območja [m]		Perimeter Wire Length [mt]	0	
Pritrdilni žeblji		Fixing nails	20	
Polnilna postaja		Charging Station	Da/Yes	
Pokrov polnilne postaje		Recharging base cover	Opcijsko/Optional	
LASTNOSTI		FEATURES		
Velikost robota (D x Š x V)		Robot Size (lxwxh)	635x464x300 mm	
Profil kolesa		Wheel Profile	Fleksibilna guma/Flex Rubber	
Zvočna moč [dB(A)]		Sound power [dB(A)]	63	
Nivo zaščite		Level of protection	IPx5	

NA VOLJO BATERIJSKI KOMPLET	BATTERY KITS AVAILABLE	Power unit LIGHT	Power unit MEDIUM	Power unit PREMIUM
Največja površina košnje [m ²] (-20%)*	Maximum suggested cutting surface [sqm] (-20%)*	800	1.200	1.800
Litij-ion akumulator (25,9 V)	Lithium-Ion Battery (25,9V)	3.45Ah -86Wh	6.9Ah -173Wh	10.35Ah - 260Wh
Kapaciteta baterije	Quantity of batteries	1x3.45Ah	1X6.9Ah	1x10.35.7Ah
Povprečni delovni čas [h] (+- 20 %)	Average Working Time [h] (+-20%)	01:30	03:00	04:00
Način polnjenja	Recharge Mode	Kontakt /Contact	Kontakt /Contact	Kontakt /Contact
Polnilnik za baterijo	Battery Chargers	2.0A-60W	5.0A-150W	8.0A-235W
Teža z baterijami [kg]	Weight with Batteries Incl. [Kg]	15,0	15,3	15,6

*m² se nanaša na največjo zmogljivost baterij. Odvisno od stanja trave, šote in zahtevnosti območja košnje.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



4.0 Elite



4.36 Elite



NEW

4.36 Elite RTK

Pogonska enota za do 3.500*/Driving unit set up to 3.500*	6.000	10.000
Brez krtačk / Brushless	Brez krtačk / Brushless	Brez krtačk / Brushless
45%	45%	45%
35%	35%	35%
20%	20%	20%
4 - krako zvezdasto rezilo / 4 Point Star Blade	4 - krako zvezdasto rezilo / 4 Point Star Blade	4 - krako zvezdasto rezilo / 4 Point Star Blade
25	36	36
20-65	20-65	20-65
Avtomatsko/Automatic	Avtomatsko/Automatic	Avtomatsko/Automatic
Da/Yes	Da/Yes	-
Da/Yes	Da/Yes	-
Da/Yes	Da/Yes	Da/Yes
-	-	Da/Yes
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	-
Da/Yes	Da/Yes	Da/Yes
8	8	No limit
8	8	No limit
Da/Yes	Da/Yes	Da/Yes
Zaslon na dotik/Touchscreen Display	Zaslon na dotik/Touchscreen Display	Zaslon na dotik/Touchscreen Display
Bluetooth-GSM	Bluetooth-GSM	Bluetooth-GSM
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional
Opcijsko/Optional	Opcijsko/Optional	No
PIN & Geofence	PIN & Geofence	PIN & Geofence
0	0	0
20	20	20
Da/Yes	Da/Yes	Da/Yes
Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional
635x464x330 mm	784x536x330 mm	784x536x330 mm
Fleksibilna guma/Flex Rubber	Fleksibilna guma/Flex Rubber	Fleksibilna guma/Flex Rubber
63	65	65
IPx5	IPx5	IPx5

Power unit MEDIUM	Power unit PREMIUM	Power unit EXTRA PREMIUM	Power unit ULTRA PREMIUM	Power unit ULTRA PREMIUM
1.800	3.200	3.200	6.000	10.000
6.9Ah -173Wh	10.35Ah - 260Wh	10.35Ah - 260Wh	10.35Ah - 260 Wh	10.35Ah - 260 Wh
1X6.9Ah	1x10.35.7Ah	1x10.35.7Ah	1x10.35 Ah	1x10.35 Ah
02:45	03:45	03:45	04:00	04:00
Kontakt /Contact	Kontakt /Contact	Induktivno/Inductive	Kontakt /Contact	Kontakt /Contact
5.0A-150W	8.0A-235W	8.0A-235W	10.0A-300W	10.0A-300W
15,5	15,8	15,8	18	18

NEXTline 



NEW

OPISI MODELOV		MODELS DESCRIPTION	4.0 Basic 4WD
MOČ	POWER		
Največja površina košnje [m ²] (-20%)*	Maximum cutting surface [sqm] (-20%)*	Pogonska enota za do 2.200*/Driving unit set up to 2.200*	
Motor type	Motor type	4WD brez krtičk / 4WD Brushless	
Največji dovoljeni naklon (%)	Max. permissible Slope (%)	60%	
Največji naklon (%)	Max. Slope (%)	55%	
Naklon na zunanjji strani žice za omejitev območja (%)	Slope on the outer edge or perimeter wire (%)	55%	
SISTEM KOŠNJE	CUTTING SYSTEM		
Vrsta rezila	Blade Type	4 - krako zvezdasto rezilo / 4 Point Star Blade	
Širina košnje [cm]	Cutting Width [cm]	25	
Višina košnje (min-maks) [mm]	Cutting Height (min-max) [mm]	30-75	
Nastavitev višine košnje	Cutting Height Adjustment	Ročno/Manual	
Način košnje "Spiral"	Spiral Cutting System	Da/Yes	
Način košnje "SDM"	"SDM" Cutting System	Ne/No	
Način košnje "+ Infinity"	"+ Infinity" Cutting System	Ne/No	
Samoniveliranje	Self-Levelling	Da/Yes	
Eko način	Eco Mode	Da/Yes	
Senzor za dež	Rain Sensor	Da/Yes	
Virtualna območja	Virtual Areas	4	
Število območij za košnjo, vključno z glavnim	Manageable Areas Including the Main	4	
NAVIGACIJA	NAVIGATION		
ZCS povezovalni modul (GPS, GSM)	ZCS Connect Module (GPS, GSM)	Opcijsko/Optional	
KONTROLIRANJE NAPRAVE	CONTROL DEVICES		
Uporabniški vmesnik	User Interface	Tipkovnica & LED/Keypad & LED	
Kontrola za aplikacijo	APP Control	Bluetooth	
Sprejemnik Bluetooth	Bluetooth Receiver	Da/Yes	
Pametni asistent	Smart Assistant	Vključeno v/Icluded in ZCS Connect	
AMICO	AMICO	Opcijsko/Optional	
ZDefence	ZDefence	Ne/No	
VAROST	SAFETY		
Varnostni pin	Safety PIN	Pin koda preko aplikacije/PIN Code via APP	
STANDARDNA OPREMA ZA NAMESTITEV	STANDARD EQUIPMENT FOR INSTALLATION		
Dolžina žice za omejitev območja [m]	Perimeter Wire Length [mt]	0	
Pritrdilni žeblji	Fixing nails	20	
Polnilna postaja	Charging Station	Da/Yes	
Pokrov polnilne postaje	Recharging base cover	Opcijsko/Optional	
LASTNOSTI	FEATURES		
Velikost robota (D x Š x V)	Robot Size (lxwxh)	474x695x358 mm	
Profil kolesa	Wheel Profile	Fleksibilna guma/Flex Rubber	
Zvočna moč [dB(A)]	Sound power [dB(A)]	63	
Nivo zaščite	Level of protection	IPx5	

NA VOLJO BATERIJSKI KOMPLET	BATTERY KITS AVAILABLE	Power unit MEDIUM	Power unit PREMIUM
Največja površina košnje [m ²] (-20%)*	Maximum suggested cutting surface [sqm] (-20%)*	1.200	1.800
Litij-ion akumulator (25,9 V)	Lithium-Ion Battery (25,9V)	6.9Ah - 173Wh	10,35Ah - 260Wh
Kapaciteta baterije	Quantity of batteries	1x6,9 Ah	1x10,35 Ah
Povprečni delovni čas [h] (+- 20 %)	Average Working Time [h] (+-20%)	03:00	04:00
Način polnjenja	Recharge Mode	Kontakt /Contact	Kontakt /Contact
Polnilnik za baterijo	Battery Chargers	5.0A-150W	8.0A-235W
Teža z baterijami [kg]	Weight with Batteries Incl. [Kg]	-	-

*m² se nanaša na največjo zmogljivost baterij. Odvisno od stanja trave, šote in zahtevnosti območja košnje.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



4.0 Elite 4WD



4.36 Elite 4WD



QUAD Elite 4WD

Pogonska enota za do 3.500*/Driving unit set up to 3.500*

6.000

3.500

4WD brez krtač / 4WD Brushless

4WD brez krtač / 4WD Brushless

4WD brez krtač / 4WD Brushless

60%

65%

75%

55%

60%

70%

55%

55%

65%

4 - krako zvezdasto rezilo / 4 Point Star Blade

4 - krako zvezdasto rezilo / 4 Point Star Blade

4 - krako zvezdasto rezilo / 4 Point Star Blade

25

36

29

30-75

30-75

25-70

Avtomatsko/Automatic

Avtomatsko/Automatic

Avtomatsko/Automatic

Da/Yes

8

8

8

8

8

8

Da/Yes

Da/Yes

Da/Yes

Zaslon na dotik/Touchscreen Display

Zaslon na dotik/Touchscreen Display

Zaslon na dotik/Touchscreen Display

Bluetooth-GSM

Bluetooth-GSM

Bluetooth-GSM

Da/Yes

Da/Yes

Da/Yes

Da/Yes

Da/Yes

Da/Yes

Opcijsko/Optional

Opcijsko/Optional

Opcijsko/Optional

Ne/No

Ne/No

Ne/No

PIN & Geofence

PIN & Geofence

PIN & Geofence

0

0

0

20

20

20

Da/Yes

Da/Yes

Da/Yes

Opcijsko/Optional

Opcijsko/Optional

Opcijsko/Optional

474x695x358 mm

522x816x358 mm

533x533x333 mm

Fleksibilna guma/Flex Rubber

Fleksibilna guma/Flex Rubber

Guma/Rubber

63

65

63

IPx5

IPx5

IPx5

Power unit MEDIUM	Power unit PREMIUM	Power unit EXTRA PREMIUM	Power unit ULTRA PREMIUM	
1.800	3.200	3.200	6.000	-
6,9Ah - 173Wh	10,35Ah - 260Wh	10,35Ah - 260Wh	10,35Ah - 260 Wh	3.500
1x6,9 Ah	1x10,35 Ah	1x10,35 Ah	1x10.35 Ah	10Ah - 260Wh
02:45	03:45	03:45	04:00	2x5,0Ah
Kontakt /Contact	Kontakt /Contact	Induktivno/Inductive	Kontakt /Contact	02:30
5.0A-150W	8.0A-235W	8.0A-235W	10.0A-300W	8A- 235W
-	-	-	-	18,5



PROline

**PROFESSIONALNOST IN
ELEGANCA
NA VAŠEM VRTU**
**PROFESSIONALISM
AND ELEGANCE
IN YOUR GARDEN**

L250i

PROline



VIDEO



m² | sqm

5.000



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

Samodejno
Automatic

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Modeli Models	ELITE	ELITE S+
Delovno območje Work area (m ² /sqm)	3.200	5.000
Delovni čas Work time	03:30 h	07:00 h
Baterija Battery	1x7,5 Ah	2x7,5 Ah

ZCS Connect
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Gumijasta kolesa
Rubber wheels

Upravljaljate do 8 območij
Manage up to 8 areas

Dodatki | Accessories



Kolesa s konicami
Spike Wheel



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO



Klasična tehnologija, vedno v ospredju.

Linija L250i je idealna za zagotavljanje učinkovitosti in zadovoljstva vaši uporabniški izkušnji. Opremljena z neverjetno visoko avtonomijo, s 7 zaporednimi urami košnje (model Elite S+). Tih motor poganja 4-krako zvezdasto rezilo s premerom 29 cm. Robot je nastavljen za natančno košnjo med 25 in 70 milimetri višine. Zadnja kolesa so gumirana, da ne uničijo košene površine.

The classic technology, always at the forefront

The L250i line is ideal to give efficiency and comfort to your user experience. Equipped with an incredibly high autonomy, with 7 consecutive hours of cutting (model Elite S+). The silent motor operates a 4-pointed star blade with a diameter of 29 cm. The robot is set to give a precise cut between 25 and 70 millimeters high. The rear wheels are rubberized, so as not to ruin the cutting surface.



L400i

PROline



VIDEO

m² | sqm

20.000



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

**Samodejno
Automatic**

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Modeli Models	B	DELUXE
Delovno območje Work area (m ² /sqm)	10.000	20.000
Delovni čas Work time	06:00 h	11:00 h
Baterija Battery	2x15Ah	4x15 Ah

ZCS Connect
Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant

Gumijasta kolesa
Rubber wheels

Upravljaljite do 8 območij
Manage up to 8 areas

Dodatki | Accessories



AMICO



Zmogljiv, edinstven in prefinjen dizajn

Elegantna robotska kosilnica je opremljena s karbonskim ohišjem, z 11-urno avtonomijo (model Deluxe) je popoln zaveznik za zelo velike zelene površine, kot so nogometna igrišča, igrišča za golf in letališča. Ambrogio L400i lahko zahvaljujoč zmogljivim 15 Ah baterijam neprekinitno deluje pol dneva. S to avtonomijo je mogoče pokositi do 20.000 kvadratnih metrov površine. Nadaljnja nadgradnja je skupni premer reza 84 cm, ki ga zagotavljajo 3 rezila z motorizirano nastavljivijo.

Popolna košnja in nastavljiva višina med 25 in 70 mm. Z napravo ZCS Connect jo lahko upravljate na daljavo z enim klikom.

Powerful, unique and sophisticated design

An elegant robotic mower, equipped with a carbon shell, with an 11-hour autonomy (Deluxe model) is the perfect ally for very large grassy spaces such as football fields, golf courses and flying fields. Ambrogio L400I, thanks to the powerful 15Ah batteries can work continuously for half a day. With this autonomy it is possible to cover up to 20,000 square meters of surface. Further upgrades are the 84 cm total cutting diameter, guaranteed by the 3 blades with motorized adjustment.

Perfect cut and adjustable between 25 and 70 mm in height. The ZCS Connect device makes it remotely manageable with one click.



PROline



OPISI MODELOV		MODELS DESCRIPTION	L250i Elite
MOČ		POWER	
Največja površina košnje [m ²] (-20%)*		Maximum cutting surface [sqm] (-20%)*	3.200
Vrsta motorja		Motor type	Brez krtičk / Brushless
Litij-ion akumulator (25,9 V)		Lithium-Ion Battery (25,9V)	1x7,5 Ah
Največji dovoljeni naklon (%)		Max permissible Slope (%)	45%
Največji naklon (%)		Max. Slope (%)	35%
Naklon na zunanjji strani žice za omejitev območja (%)		Slope on the outer edge or perimeter wire (%)	20%
Povprečni delovni čas [h] (+-20%)		Average Working Time [h] (+-20%)	03:30
Način polnjenja		Recharge Mode	Kontakt /Contact
SISTEM KOŠNJE		CUTTING SYSTEM	
Vrsta rezila		Blade Type	4 - krako zvezdasto rezilo /4 Point Star Blade
Širina košnje [cm]		Cutting Width [cm]	29
Vihina košnje (min-maks) [mm]		Cutting Height (min-max) [mm]	25-70
Nastavitev višine košnje		Cutting Height Adjustment	Ročno/Manual-
Način košnje "Spiral"		Spiral Cutting System	Da/Yes
Način košnje "SDM"		"SDM" Cutting System	Da/Yes
Način košnje "+ Infinity"		"+ Infinity" Cutting System	Da/Yes
Samoniveliranje		Self-Levelling	Da/Yes
Eko način		Eco Mode	Da/Yes
Senzor za dež		Rain Sensor	Da/Yes
Virtualna območja		Virtual Areas	8
Število območij za košnjo, vključno z glavnim		Manageable Areas Including the Main	8
NAVIGACIJA		NAVIGATION	
ZCS povezovalni modul (GPS, GSM)		ZCS Connect Module (GPS, GSM)	Da/Yes
KONTROLIRANJE NAPRAVE		CONTROL DEVICES	
Uporabniški vmesnik		User Interface	Zaslons na dotik/Toucscreen Display
Kontrola za aplikacijo		APP Control	Bluetooth-GSM
Sprejemnik Bluetooth		Bluetooth Receiver	Da/Yes
Pametni asistent		Smart Assistant	Da/Yes
AMICO		AMICO	Opcijsko/Optional
VAROST		SAFETY	
Varnostni pin		Safety PIN	Pin & Geofence
STANDARDNA OPREMA ZA NAMESTITEV		STANDARD EQUIPMENT FOR INSTALLATION	
Dolžina žice za omejitev območja [m]		Perimeter Wire Length [mt]	0
Pritrdilni žeblji		Fixing nails	20
Polnilna postaja		Charging Station	Da/Yes
Pokrov polnilne postaje		Recharging base cover	Opcijsko/Optional
LASTNOSTI		FEATURES	
Teža z baterijami [kg]		Weight with Batteries Incl. [Kg]	15,3
Velikost robota (D x Š x V)		Robot Size (lxwxh)	580x500x290 mm
Profil kolesa		Wheel Profile	Fleksibilna guma/Flex Rubber
Zvočna moč [dB(A)]		Sound power [dB(A)]	63
Nivo zaščite		Level of protection	IPx4

*m² se nanaša na največjo zmogljivost baterij. Odvisno od stanja trave, šote in zahtevnosti območja košnje.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



L250i Elite S+	L400i B	L400i Deluxe
5.000	10.000	20.000
Brez krtičk / Brushless	Brez krtičk / Brushless	Brez krtičk / Brushless
2x7,5 Ah	2x15Ah	4x15Ah
45%	45%	45%
35%	35%	35%
20%	20%	20%
07:00	06:00	11:00
Kontakt /Contact	Kontakt /Contact	Kontakt /Contact
4 - krako zvezdasto rezilo /4 Point Star Blade	4 - krako zvezdasto rezilo /4 Point Star Blade	4 - krako zvezdasto rezilo /4 Point Star Blade
29	84 (3 disk)/84 (3 discs)	84 (3 disk)/84 (3 discs)
25-70	25-70	25-70
Ročno/Manual	Avtomatsko/Automatic	Avtomatsko/Automatic
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
Da/Yes	-	-
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
8	8	8
8	8	8
Da/Yes	Da/Yes	Da/Yes
Zaslon na dotik/Touchscreen Display	Zaslon na dotik/Touchscreen Display	Zaslon na dotik/Touchscreen Display
Bluetooth-GSM	Bluetooth-GSM	Bluetooth-GSM
Da/Yes	Da/Yes	Da/Yes
Da/Yes	Da/Yes	Da/Yes
Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional
Pin & Geofence	Pin & Geofence	Pin & Geofence
0	0	0
20	100	100
Da/Yes	Da/Yes	Da/Yes
Opcijsko/Optional	-	-
16,2	45	49
580x500x290 mm	1.200x977x372 mm	1.200x977x372 mm
Fleksibilna guma/Flex Rubber	Fleksibilna guma/Flex Rubber	Fleksibilna guma/Flex Rubber
63	69	69
IPx4	IP44	IP44



GREENline

**PREPROSTO IN
UČINKOVITO**
***SIMPLE AND
EFFICIENT***

L60

GREENline



VIDEO



TUDI NA VOLJO
ZA SPLETNO PRODAJO
ALSO AVAILABLE FOR
ONLINE SALES

m² | sqm
400

NI POTREBNA NAMESTITEV
ŽICE ZA DOLOČITEV MEJE
NO INSTALLATION
OF PERIMETER WIRE NEEDED



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Ne / No

Način polnjenja
Recharge Mode

Ročno
Manual

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

50%

Modeli Models	ELITE	ELITE S+
Delovno območje Work area (m ² /sqm)	200	400
Delovni čas Work time	02:00 h	03:00 h
Baterija Battery	1x5,0 Ah	1x7,5 Ah

Bluetooth
sprejemnik
Bluetooth
Receiver

Senzor ZGS
Zazna prisotnost trave
in morebitnih luknenj
ZGS Sensor
Detects the presence of grass
and any holes

Senzor
ekološkega
načina
Prepozna pokošeno
površino
**Eco Mode
Sensor**
Recognises the
mowed area

Dodatki | Accessories



AMICO

Zimzelena vrtnarska robotika

Robot Ambrogio L60 je sposoben kositi na majhnih travnikih brez žice za določitev meje. Robot prepozna ne travnate površine in se jim izogne zahvaljujoč senzorju ZGS. 4-krako zvezdasto rezilo omogoča absolutno natančno rezanje tudi na 50 % naklonu. Vse to je mogoče zaradi 4-kolesnega pogona, ki olajša premikanje lahke in okretnne kosilnice.

An evergreen of gardening robotics

Ambrogio L60 is able to handle cutting in small lawns, without perimeter wire. The robot recognizes surfaces other than the turf and avoids them, thanks to the ZGS sensor. The 4-point star blade allows for absolute precision cutting even on slopes of 50%. All this is possible thanks to the 4-wheel drive that facilitates the movement of a light and manoeuvrable mower.





VIDEO



TUDI NA VOLJO
ZA SPLETNO PRODAJO
ALSO AVAILABLE FOR
ONLINE SALES

m² | sqm
600



Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

Samodejno
Automatic

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Povprečni delovni čas [h] (±20%)
Average Working Time [h] (+-20%)

02:00

Litij-ionska baterija (25,9V)
Litio-lone Battery (25,9V)

1x5,0 Ah

Bluetooth sprejemnik
Bluetooth Receiver

Senzor ekološkega načina
Prepozna pokošeno površino
Eco Mode Sensor
Recognises the mowed area

Upravljajte do 4 območij
Manage up to 4 areas

Dodatki | Accessories



Garažni pokrov
sijoče črne barve
Garage cover glossy black



AMICO

Majhen, močan in edinstven

Ambrogio L15 Deluxe: majhna, futuristična robotska kosilnica, primerna za delo na manjših zelenicah do 600 kvadratnih metrov, kjer je potreben izjemno natančen rez. Robota je mogoče programirati in upravljati prek aplikacije Ambrogio Remote, ima preprosto in uporabniku prijazno LED-tipkovnico in organizira svoje delovne cikle z največjo hitrostjo, učinkovitostjo in popolnostjo. Idealen je za tiste, ki želijo preprostega in tehnološko naprednega robota.

Small, strong and unique

Ambrogio L15 Deluxe: the small, futuristic robot lawnmower suitable for working on small lawns, up to 600 square metres, where an extremely precise cut is needed. The robot can be programmed and managed via the Ambrogio Remote App, it has a simple and user-friendly LED keypad and organises its work cycles with maximum speed, efficiency and perfection. It is ideal for those who want a robot that is simple yet technologically advanced at the same time.



L32 DELUXE

GREENline



VIDEO



TUDI NA VOLJO
ZA SPLETNO PRODAJO
ALSO AVAILABLE FOR
ONLINE SALES

m² | sqm
800

Lastnosti | Features

Žica za določitev meje
Perimeter Wire

Da / Yes

Način polnjenja
Recharge Mode

Samodejno
Automatic

Največji dovoljeni naklon (%)
Max. Permissible Slope (%)

45%

Povprečni delovni čas [h] (+20%)
Average Working Time [h] (+20%)

01:00

Litij-ionska baterija (25,9V)
Lithium-Ion Battery (25,9V)

1x2,5 Ah



Bluetooth
sprejemnik
Bluetooth Receiver



Senzor ekološkega
načina
Eco Mode Sensor
Prepozna pokošeno
površino
Recognises the
mowed area



Upravljajte do 4
območij
Manage up to 4 areas

Dodatki | Accessories



Kolesa s konicami
Spike Wheel



Garažni pokrov
sijoče črne barve
Garage cover glossy black




Kompakten, za kompleksne zelenice.

Robot Ambrogio L32 Deluxe je bil ustvarjen za reševanje najbolj zapletenih situacij: majhni vrtovi, vendar nepravilnih oblik, z ozkim prehodi, težko dostopnimi območji in majhnim manevrskim prostorom. Majhna, kompaktna zasnova in močan motor omogočajo temu robotu optimalno delo tudi na zahtevnih vrtovih.

Compact, for complex lawns

Ambrogio L32 Deluxe has been created to deal with the most complicated situations: small gardens, but with an irregular shape, with narrow passages, areas of difficult access and reduced manoeuvring spaces. The small size, compact design and powerful motor allow this small robot to work optimally even in difficult gardens.



GREENline



OPISI MODELOV		MODELS DESCRIPTION	L60 Elite
MOČ		POWER	
Največja površina košnje [m ²] (-20%)*		Maximum cutting surface [sqm] (-20%)*	200
Vrsta motorja		Motor type	Brez krtačk / Brushless
Litij-ion akumulator (25,9 V)		Lithium-Ion Battery (25,9V)	1x5,0 Ah
Največji dovoljeni naklon (%)		Max permissible Slope (%)	50%
Največji naklon (%)		Max. Slope (%)	40%
Naklon na zunanjji strani žice za omejitev območja (%)		Slope on the outer edge or perimeter wire (%)	-
Povprečni delovni čas [h] (+-20%)		Average Working Time [h] (+-20%)	02:00
Način polnjenja		Recharge Mode	Ročno/Manual
SISTEM KOŠNJE		CUTTING SYSTEM	
Vrsta rezila		Blade Type	4 - krako zvezdasto rezilo / 4 Point Star Blade
Širina košnje [cm]		Cutting Width [cm]	25
Višina košnje (min-maks) [mm]		Cutting Height (min-max) [mm]	42-48
Način košnje "Spiral"		Spiral Cutting System	-
Senzorji ZGS (trava/odpad)		ZGS Sensors (Grass /Drop Off)	Da/Yes
Eko način		Eco Mode	Da/Yes
Senzor za dež		Rain Sensor	Ne/No
Virtualna območja		Virtual Areas	1
Število območij za košnjo, vključno z glavnim		Manageable Areas Including the Main	1
NAVIGACIJA		NAVIGATION	
ZCS povezovalni modul (GPS, GSM)		ZCS Connect Module (GPS, GSM)	Opcijsko/Optional
KONTROLIRANJE NAPRAVE		CONTROL DEVICES	
Uporabniški vmesnik		User Interface	Tipkovnica & LED/Keypad & LED
Kontrola za aplikacijo		APP Control	Bluetooth
Sprejemnik Bluetooth		Bluetooth Receiver	Da/Yes
Pametni asistent		Smart Assistant	Vključeno v/Included in ZCS Connect
AMICO		AMICO	Opcijsko/Optional
VARNOST		SAFETY	
Varnostni pin		Safety PIN	Pin koda preko aplikacije /PIN Code via APP
STANDARDNA OPREMA ZA NAMESTITEV		STANDARD EQUIPMENT FOR INSTALLATION	
Dolžina žice za omejitev območja [m]		Perimeter Wire Length [mt]	Ni potrebno/Not necessary
Pritrdilni žebelji		Fixing nails	Ni potrebno/Not necessary
Polnilna postaja		Charging Station	-
Pokrov polnilne postaje		Recharging base cover	-
LASTNOSTI		FEATURES	
Teža z baterijami [kg]		Weight with Batteries Incl. [Kg]	8,3
Velikost robota (D x Š x V)		Robot Size (lxwxh)	440x360x200 mm
Zvočna moč [dB(A)]		Sound power [dB(A)]	65
Nivo zaščite		Level of protection	IPx4

*m² se nanaša na največjo zmogljivost baterij. Odvisno od stanja trave, šote in zahtevnosti območja košnje.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.

		
L60 Elite S+	L15 Deluxe	L32 Deluxe
400	600	800
Brez krtačk / Brushless	Brez krtačk / Brushless	Brez krtačk / Brushless
1x7,5 Ah	1x5,0 Ah	1x2,5 Ah
50%	45%	45%
40%	35%	35%
-	20%	20%
03:00	02:00	01:00
Ročno/Manual	Kontakt /Contact	Kontakt /Contact
4 - krako zvezdasto rezilo /4 Point Star Blade	4 - krako zvezdasto rezilo /4 Point Star Blade	4 - krako zvezdasto rezilo /4 Point Star Blade
25	18	25
42-48	25-60	25-60
-	Da/Yes	Da/Yes
Da/Yes	-	-
Da/Yes	Da/Yes	Da/Yes
Ne/No	Da/Yes	Da/Yes
1	4	4
1	4	4
Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional
Tipkovnica & LED/Keypad & LED	Tipkovnica & LED/Keypad & LED	Tipkovnica & LED/Keypad & LED
Bluetooth	Bluetooth	Bluetooth
Da/Yes	Da/Yes	Da/Yes
Vključeno v/Included in ZCS Connect	Vključeno v/Included in ZCS Connect	Vključeno v/Included in ZCS Connect
Opcijsko/Optional	Opcijsko/Optional	Opcijsko/Optional
Pin koda preko aplikacije /PIN Code via APP	Pin koda preko aplikacije /PIN Code via APP	Pin koda preko aplikacije /PIN Code via APP
Ni potrebno/Not necessary	100	100
Ni potrebno/Not necessary	100	100
-	Da/Yes	Da/Yes
-	Opcijsko/Optional	Opcijsko/Optional
8,6	7,1	10,7
440x360x200 mm	420x290x220 mm	540x450x252 mm
65	59	59
IPx4	IPx5	IPx4

Kdor izbere Ambrogia, najde zaveznika

Who chooses Ambrogio, find an ally



TEHNOLOGIJA

Robot Ambrogio je tehnološko napreden izdelek: aplikacija in ZCS Connect modul za spremljanje in upravljanje robota tudi na daljavo, ZCS Innovative Inside+ za modele namenjene tudi profesionalnemu trgu in napredni rezalni sistemi, z RTK-navigacijskimi sistemi in +InfinitySystem.

TECHNOLOGY

Ambrogio robot is a technologically advanced product: APP and ZCS Connect module to monitor and manage the robot even remotely, innovative ZCS Inside+ on models also intended for the professional market and advanced cutting systems, with the RTK navigation systems and +InfinitySystem.



PAMETNO & ZELENO

Robot Ambrogio je okolju prijazna naprava, ki spoštuje okolje in hišne ljubljenčke, zaradi česar je vrt vedno lep in pripravljen za uživanje.

SMART & GREEN

Ambrogio robot is an ecofriendly product, respecting the environment and pets, giving a garden always beautiful and livable.



DODATKI

Popoln nabor dodatkov, s katerimi bo vaš robot Ambrogio najboljši.

ACCESSORIES

A complete range of accessories to keep your Ambrogio robot at its best.





Download on the App Store

GET IT ON Google play

Iščete udobje s tehnologijo, ki je enostavna za uporabo?

Ambrogio je vedno le en klik stran!

Ambrogio Robot je super tehnološko napreden: zahvaljujoč aplikaciji Ambrogio Remote lahko upravljate in prenašate priročnike, ko to potrebujete.

Z modulom ZCS Connect* lahko tudi:

- Upravljate in nadzorujete robota tudi na daljavo.
- Preverite lokacijo, da boste vedno vedeli kje se nahaja vaš robot Ambrogio.
- Na voljo imate napreden sistem proti kraji, ki pošlje opozorilo, če robot Ambrogio zapusti delovno območje.

Aplikacija Ambrogio Remote je na voljo za Android in iOS: prenesete jo lahko iz trgovine Google Play ali Apple Store.

Ali želite uporabljati glasovne ukaze?

Robota Ambrogio upravlajte s Siri, Google Home ali Alexa.

Modele robotov Ambrogio, opremljene z ZCS Connect, je mogoče upravljati tudi prek najpogosteje uporabljenih glasovnih pripomočkov, kot so Siri, Google Home in Alexa, prek funkcije Smart Assistant.

Z glasovnimi pomočniki lahko robotu pošiljate glasovne ukaze, pridobite informacije o njegovem delovanju ter zahtevate podatke in statistiko.

*standardno na številnih modelih serije robotov Ambrogio 2023

Looking for convenience with easy-to-use technology?

Ambrogio is always just a click away!

*Ambrogio Robot is super technological: thanks to the dedicated application **Ambrogio Remote** you can control the robot and download the manuals, just when you need.*

With the ZCS Connect module you can also:*

- Manage and control the robot even remotely*
- Check the location, to always know where Ambrogio is*
- Have at your disposal an advanced anti-theft system that send an alert in case Ambrogio Robot leaves the work area.*

The Ambrogio Remote APP is available for both Android and iOS: you can download it from Google Play or Apple Store.

Do you want the convenience of voice commands?

Control Ambrogio with Siri, Google Home or Alexa

*Ambrogio Robot models equipped with ZCS Connect can also be controlled via the most commonly used voice assistances, such as **Siri, Google Home and Alexa**, through the **Smart Assistant** feature.*

With the voice assistants you can send voice commands to the robot, obtain information about its operation and request data and statistics.

** standard on many models of the Ambrogio robot 2023 range*



ZCS CLOUD RTK



**Natančna košnja do centimetra na velikih površinah, brez namestitve žice za določitev meje?
Nič ne bi moglo biti lažje!**

**Precision cutting to the centimeter on large areas, without installation of the perimeter wire?
Nothing could be easier!**

Satelitski navigacijski sistem ZCS Cloud RTK* (Real Time Kinematic) omogoča obdelavo velikih površin enemu ali več robotov, do 10.000 m², z navigacijsko natančnostjo na centimeter in brez nameščene žice za določitev meje. ZCS Cloud RTK uporablja satelitsko tehnologijo v kombinaciji z oblakom, da robotu stalno sporoča položaj, ki ga mora vzdrževati, prek ustrezne GPS antene v radiju 15 km od njega.

Vse to se odraža v izredni natančnosti navigacije in košnje, do 5 cm od roba območja in v ozkih, težko dostopnih prostorih. Prednosti so številne in se odražajo v nepotrebni namestitvi, delovni učinkovitosti in vsestranski uporabi.

*Standardno v modelu Ambrogio 4.36 Elite RTK.

The satellite navigation system **ZCS Cloud RTK*** (Real Time Kinematic) makes it possible for one or more robots to manage a large working area, up to 10,000 m², with navigation accuracy per centimeter and without the need for perimeter wire. **ZCS Cloud RTK** uses satellite technology combined with the cloud, to constantly communicate to the robot the position to be maintained, through the appropriate GPS antenna in a radius of 15 km from it.

All this translates into an extreme precision of navigation and cutting, up to 5 cm from the edge of the area and in narrow spaces, difficult to reach. The advantages are numerous and result in no installation required, working efficiency and versatility of use.

*Standard in the Ambrogio 4.36 Elite RTK model.



**Ali povečujete svoj vrt?
Nekateri modeli Ambrogio
so prilagodljivi!**

Najboljša izbira za vas: Infinity System

Ta inovativni navigacijski sistem omogoča več robotom, da si istočasno delijo delovni prostor in obdelujejo isto zelenico, za natančno in popolno košnjo celotne površine.

Roboti, opremljeni s sistemom +INFINITYSYSTEM, se lahko prilagodijo delu na vrtovih, ki so se s časom povečali. Zunanje površine, ki postanejo »zelenica«, je mogoče urejati v popolni kombinaciji z vsemi drugimi zelenimi površinami.

+INFINITYSYSTEM s pomočjo tehnologij Cloud in ZCS Connect ustvari navidezni zemljevid na predelu, ki ga je treba pokositi in se nenehno deli. Skupni zemljevid omogoča robotom, da poznajo že pokošena manjša območja z optimizacijo delovnega časa.

***Are you increasing the square footage of your garden?
Some Ambrogio models are customizable!***

The best choice for you: Infinity System

This innovative navigation system allows multiple robots to simultaneously share the working space and manage the same area, for precise and complete mowing of the entire area.

Robots equipped with +INFINITYSYSTEM have the ability to adapt to work in gardens that have increased their surface over time. Outdoor areas that become "garden" can be managed in perfect combination with all other green spaces.

+INFINITYSYSTEM, by means of Cloud and ZCS Connect technologies, creates a virtual map on the area to be shaved that is constantly shared. The shared map allows robots to know the micro areas already cut by optimizing the working time.



PAMETNO & ZELENO
SMART & GREEN

AMICO



VIDEO



**Ali vaš štirinožni prijatelj
rad teka po zelenici?
Z Ambrogiom je
vedno varen!**

Ambrogio obožuje hišne ljubljenčke: spoštuje in ščiti male ljubljenčke in živali.

... In če želite biti popolnoma varni, se lahko zanesete na AMICO, mikronapravo, ki jo namestite na ovratnico in robotu omogoča delovanje na varni razdalji, dokler se rezilo samodejno ne izklopi.

AMICO je varen in neškodljiv ter ne povzroča nelagodja vašim malim prijateljem.

AMICO je na voljo za vse modele Ambrogio. Če želite več informacij, se obrnite na specializirano prodajno mrežo.

**Does your four-legged friend love to run around the garden?
With Ambrogio, they are always safe!**

Ambrogio loves pets: it respects and protects small pets and animals.

*...And if you want to be completely safe, **you can count on AMICO**, a microdevice to be installed on the pet's collar that allows the robot to work at a safe distance until the blade Samodejno switches off.*

AMICO is safe and harmless and causes no discomfort to your little friends.

AMICO is available for all models in the Ambrogio range. If you would like more information, please contact the specialist sales network.



ZDEFENCE



**Vas preganjajo komarji?
Ambrogio ima rešitev:
naravni ščit pred
nadležnim mrčesom!**

ZDefence* za robote Ambrogio je naraven, preprost in učinkovit obrambni sistem pred komarji.

Kako deluje?

Zahvaljujoč uporabi naravnega bio odganjalca, ki deluje kot ovira pred komarji in preprečuje širjenje kemikalij v okolju, bo vaš vrt brez teh nadležnih žuželk. To bo prijeten in bivalni prostor tudi v mraku.

*Združljivo z modeloma Ambrogio 4.0 in 4.36

***Do mosquitoes haunt you?
Ambrogio has the
solution: a natural shield
against annoying insects!***

ZDefence for Ambrogio Robot is the natural, simple and effective defence system against mosquitoes.*

How does it work?

Thanks to the use of a natural bio-repellent, which acts as a barrier against mosquitoes and prevents the spread of chemicals in the environment, your garden will be free of these annoying insects. It will be a welcoming and liveable place, even during twilight.

**Compatible for Ambrogio 4.0 and 4.36 models*



DODATKI *ACCESSORIES*



Pametno & zeleno | Smart & Green

Izdelki <i>Products</i>	Številka izdelka <i>Item number</i>	Model Ambrogio <i>Ambrogio model</i>
	030Z22500A	TWENTY ZR TWENTY TWENTY 25 TWENTY 29 4.0 4.36 elite 4.36 elite RTK QUAD elite 4WD 4.0 4WD 4.36 elite 4WD L60 L15 DELUXE L32 L250 L400
	Kontaktno polnjenje <i>Contact charging</i>	042Z95025A
	Induktivno polnjenje <i>Inductive charging</i>	042Z95024A
	Tekočina 1 Lt <i>Liquid 1 Lt</i>	042A220001
	Tekočina 5 Lt <i>Liquid 5 Lt</i>	042A220005
	Tekočina 10 Lt <i>Liquid 10 Lt</i>	042A220010



Osnovni pokrov za ponovno polnjenje | Recharging base cover

	Izdelki Products	Številka izdelka Item number	Model Ambrogio Ambrogio model
	Garažna prevleka v sijoči črni barvi <i>Garage cover colour glossy black</i>	015Z11800A	TWENTY ZR TWENTY LIS DELUXE
	Garažna prevleka v sijoči črni barvi <i>Garage cover colour glossy black</i>	L29Z04410A	TWENTY 25 TWENTY 29
	Garažna prevleka v sijoči črni barvi <i>Garage cover colour glossy black</i>	051A00050A	L32
	Garažna prevleka v sijoči črni barvi <i>Garage cover colour glossy black</i>	110Z66200A	L36
	Garažna prevleka v sijoči črni barvi <i>Garage cover colour glossy black</i>	075Z45800A	4.0 4.36 elite QUAD elite
	Garažna prevleka v sijoči črni barvi <i>Garage cover colour glossy black</i>	042Z58600A	4.0 4WD 4.36 elite 4WD



Bodice | Spikes

Izdelki <i>Products</i>	Številka izdelka <i>Item number</i>	Model Ambrogio <i>Ambrogio model</i>
	Bodice Spike 051Z50900A	L32
	Bodice Spike 110Z62600A	L250
	Bodice Spike 042Z21900A	4.0 4.36 elite

Instalacijski komplet | Installation kit

Izdelki <i>Products</i>	Številka izdelka <i>Item number</i>
 Montažni komplet S Installation Kit S	200A00060A
150 m žice Ø 2.5 150 m wire Ø 2.5	300 klinov 300 pegs
3 priključki 3 connectors	
Montažni komplet M Installation Kit M	200A00065A
150 m žice Ø 3.4 150 m wire Ø 3.4	300 klinov 300 pegs
3 priključki 3 connectors	
Montažni komplet L Installation Kit L	200A00070A
300 m žice Ø 3.4 300 m wire Ø 3.4	500 klinov 500 pegs
6 priključki 6 connectors	



 **ZUCCHETTI**
Centro Sistemi 

Pametne rešitve za trajnostno prihodnost.

Strokovnjaki za robote

Od leta 2000, robote kosilnice Ambrogio nenehno in celovito načrtuje, proizvaja in izvaja Zucchetti Centro Sistemi SpA, vodilno italijansko podjetje na področju inovacij.

Odkrijte robota Ambrogio pri najbližjem pooblaščenem prodajalcu.

- » Tehnološko in strokovno svetovanje (predprodajna storitev)
- » Specializirana pomoč in upravljanje garancij (poprodajne storitve)
- » Zagotovljeni originalni nadomestni deli

Smart solutions for a sustainable future

The Specialists of the robot

Since 2000, Ambrogio mower robots have been designed, produced and implemented continuously and integrally by Zucchetti Centro Sistemi SpA, an Italian leader in innovation.

Discover Ambrogio robot at your nearest authorized dealer

- » *Technological and professional advice (pre-sale service)*
- » *Specialized assistance and guarantee management (after-sales service)*
- » *Original spare parts guaranteed*







THE ROBOTIC LAWNMOWER



Zucchetti Centro Sistemi SpA
Via Lungarno, 305
52028 - Terranuova B.ni (AR) - Italy
Phone +39 055 91971 - Fax +39 055 9197515



Ambrogio Robot



ambrogiorobot.com



Generalni zastopnik za Slovenijo
ZELENI SISTEMI D.O.O.
Cesta na Polane 8, 6210 SEŽANA, SLOVENIJA
Tel.: +386 (0)5 73 44 464 – Gsm: +386 (0)41 536 257
Mail: info@zelenisistemi.com – http://www.3mzelenisistemi.com

Zastopnik/Dealer